

MODEL # 980207

## **OVERVIEW**

The 207HC Mixing Station has a water flow rate of 2 GPM @ 40 PSI and is a "high concentrate" chemical proportioner for filling any sized container with a strong solution. This venturi injection system uses city water pressure (40 - 80 PSI) to draw and blend a high concentration of chemical into the water to create up to 1:1 dilution ratios. Ball valve activation allows for hands-free dispensing.



- Achieves strong dilution ratios, up to 1:1 (with water thin chemicals)
- Weaker ratios controlled by precision metering tips & plugs
- Water flow rate of 2 GPM @ 40 PSI for filling any sized container or equipment
- Eliminates manual mixing and optimizes chemical utilization, employee safety and labor efficiency
- Ball valve activation allows for hands-free dispensing
- Chemical resistant wetted components ensure years of outstanding performance with minimal maintenance
- Industrial-strength design holds up in tough environments
- Draws chemical concentrate from any sized container
- Available with a higher flow rate (#980414)
- See other chemical management systems in Catalog 9

## Includes

- · Stainless steel mounting bracket
- Stainless steel inlet ball valve
- Machined polypropylene injector body
- 20 color-coded precision metering tips to set dilution ratios
- 2 metering plugs to set 2:1 & 3:1 dilution ratios
- 10' open flow discharge hose

## **OPTIONS**

## Stainless Steel Hose Racks

Small Stainless Steel Hose Rack # 224145

# Stainless Steel Jug Racks

| Jug Rack, SS, 1 Gallon, Round/Square | # 224200 |
|--------------------------------------|----------|
| Jug Rack, SS, 2 1/2 Gallon           | # 224210 |
| Jug Rack, SS, 5 Gallon, Round/Square | # 224215 |

# Alternate Check Valve - Viton Standard

Check Valve, Chemical, PP, EPDM, 3/8" # 491405-E

# Lafferty EQUIPMENT NAMORETURING INC EQUIPMENT NAMORETURING INC MONTER 207HC MIXING STATION Model PRODOST ECOMORIZATION ACHINICAL \*\*DISCHARGE HOSE ACHINICAL \*\*DISCHARGE HOSE

# **REQUIREMENTS**

# **Chemical Concentrate**

### Water

| Temperature | up to 160°F   |
|-------------|---------------|
| Pressure    | 40 to 80 PSI  |
| Flow        | 2 GPM @ 40 PS |
| Supply Line | 1/2"          |

**Hose** 3/4" ID x 10'

**Dilution Ratio Range** 457:1 to 1:1 @ 40 PSI

## **APPLICATIONS**

- Agriculture/Horticulture
- Animal Health
- Food & Beverage
- Hatchery
- Industrial
- Janitorial/Sanitation
- Metal Processing
- Pharm/Bio
- And Many Other Applications!

