

# PLC Jazz Entryway Satellite Controller - 24VAC

MODEL # 976630-24V

## OVERVIEW

The PLC Jazz Entryway Satellite Controller (24V) is a control box with highly flexible programming settings used to regulate the operation of up to 10 Satellite Entryway Foam Sanitizers in applying rich foam to multiple entryway floors at programmed intervals, to prevent cross contamination from foot or wheeled traffic. The Satellite Controller is equipped with an air solenoid and a adjustable run/delay timer. Compressed air is used to activate and run the Satellite Entryway Foamers in accordance with a programmed schedule, without the need for electrical connections at the Satellites. Activation will start the flow of water/solution to the foamers; deactivation stops the flow of water/solution through the foamers. All foamers activate and deactivate at the same time. This unit requires 24VAC electrical input - a locally sourced standard step-down transformer is required.

## Key Features

- Controls up to 10 Walk Door Satellite Entryway Foam Sanitizers
- Fully adjustable timer allows variable settings for holidays, weekly or seasonal changes in hours, and peak versus off-peak traffic demands
- All foamers activate and deactivate on the same schedule
- Designed to control any combination of Satellite units:
  - Satellite Foam (Walk Door)
  - Satellite MV Foam (Double Door)
  - Satellite HV Foam (Wide/Overhead Door)
- Works with venturi and pump fed Satellite Entryways
- Manual override on/off, without affecting the programming
- Straightforward, menu-driven programming options
- Available with a simple run/delay timer (#976625-24V)
- Available to control multiple Satellite Entryway zones on different schedules (#976710-24V)
- Available for 120VAC electricity (#976630)
- See more Lafferty entryway systems in [Catalog 6](#)

## Includes

- NEMA rated control box (24V)
- Multifunction timer and user-interface
- Auto / off / manual override switch
- Electric-activated air solenoid

## APPLICATIONS

- Agriculture/Horticulture
- Animal Health
- Food & Beverage
- Pharm/Bio
- Supermarkets
- And Many Other Applications!



## REQUIREMENTS

Electrical Rating

~ 24V, 50/60Hz, 20W