# **A-20SS Airless Foamer**

MODEL # 917905

## **OVERVIEW**

The A-20SS Airless Foamer is a 3.1 GPM @ 700 PSI foam applicator for projecting foaming chemicals on to any surface up close or at a distance without compressed air. This stainless steel venturi injection system uses high water pressure (400 - 1000 PSI) to draw and blend chemical concentrate into the water stream to create an accurately diluted solution. The solution then flows through the discharge hose and trigger gun to the "airless" foam wand which draws in atmospheric air to create and project wet, clinging foam at distances up to 12 feet.

#### **Key Features**

- No compressed air required
- Designed for foam cleaning medium to large sized areas
- Projects wet, clinging foam which increases chemical contact time and effectiveness
- Foaming expands the chemical and reduces over-application by providing visual assurance of coverage
- Fan nozzle for fast coverage at distances up to 10' and zero degree nozzle for up to 12' foam throw (depending on water pressure)
- Stainless steel components ensure years of outstanding performance with minimal maintenance
- Available for 2 chemicals (#917907)
- See other configurations of Lafferty high water pressure foamers in Catalog 3

#### Includes

- · Stainless steel mounting bracket
- Machined stainless steel injector body
- Machined stainless steel airless foam wand
- · 20 color-coded precision metering tips to set dilution ratios
- 50' discharge hose & trigger gun
- Fan nozzle & zero degree nozzle

## **OPTIONS**

Stainless Steel Hose Racks	
Large Stainless Steel Hose Rack	# 224150
Stainless Steel Jug Racks	
Jug Rack, SS, 1 Gallon, Round/Square	# 224200
Jug Rack, SS, 2 1/2 Gallon	# 224210
Jug Rack, SS, 5 Gallon, Round/Square	# 224215
Safe Flow Lid™ for 1 Gallon Jugs	
Lid, Suction Tube, and Strainer	# 709101
Alternate Check Valve - EPDM Standard	
	Large Stainless Steel Hose Rack Stainless Steel Jug Racks Jug Rack, SS, 1 Gallon, Round/Square Jug Rack, SS, 2 1/2 Gallon Jug Rack, SS, 5 Gallon, Round/Square Safe Flow Lid <sup>™</sup> for 1 Gallon Jugs Lid, Suction Tube, and Strainer

Alternate Check Valve - EPDM Standard Check Valve, Chemical, SS, Viton, 1/4" # 491324-V

## **APPLICATIONS**

- Food & Beverage
- Agriculture/Horticulture
- Animal Health
- Vehicle Wash
- Dairy
- Hatchery
- Industrial
- Janitorial/Sanitation

Pharm/Bio

• And Many Other Applications!



## REQUIREMENTS

Water	
Temperature	up to 180°F
Pressure	400 to 1000 PSI
Flow	3.1 GPM @ 700 PSI
Supply Line	3/8"
Hose	3/8" ID x 50'
Nozzle	A-20 Airless Foam Wand
Dilution Ratio Range	711:1 to 7:1 @ 700 PSI



Lafferty A 1955 Source Description



